

# InnoClad

# InnoClad

external cladding

INNOWOOD Cladding Systems have been designed for versatility and ease of installation. With the look and feel of natural timber, InnoClad is an innovative timber cladding alternative.

INNOWOOD external cladding systems come in your choice of shiplap, concealed clip fixing and flat joint cladding systems. With the flexibility to orientate vertically or horizontally, INNOWOOD external cladding systems deliver a clean finish with consistently spaced shadow/join lines.












**s** **shiplap**  
Designed with tongue and groove profiles that overlap to mix and match profile widths, INNOWOOD's shiplap cladding systems achieve a dynamic look with clean, straight lines in a warm, sleek and durable finish for a conventional timber look with an attractive shadow line.

**c** **concealed clip fixing**  
Designed with a tongue and groove profile and available in six gorgeous colours, INNOWOOD's concealed clip fixing system is a dynamic and innovative composite cladding solution that delivers good insulation and acoustic qualities.

**f** **flat joint**  
INNOWOOD'S flat joint cladding system incorporates clean aluminium expressed flat joints to create a striking contrast. Available in a variety of aluminium finishes for freedom of customisation, INNOWOOD's flat joint cladding systems are a dynamic and innovative composite cladding solution.


## external cladding range

<b>profile</b>					
<b>section</b>					
<b>code</b>	WC24025	WC20025	WC13625	WC15025	WC14025
<b>coverage</b>	205mm	165mm	105mm	150mm	140mm
<b>span*</b>	450mm	450mm	450mm	450mm	450mm
<b>system</b>	s	s	s	c	f.c

\* Guide only, span based on non reinforced section and is dependent on region and wind load.



The tonal shading, colouration and graining variations add to the architectural character and overall visual





## internal lining soffit lining

InnoClad lining systems instantly add the look and feel of natural timber to any space. Creating a feature of internal walls and ceilings or external soffit linings under awnings, balconies, eaves and alfresco areas is easy with INNWOOD internal lining systems. They come in your choice of a concealed clip lining system or a tongue and groove shiplap lining system, giving them the flexibility to orientate vertically or horizontally.

### internal & soffit lining

profile					
section					
code	WC17012	WC16728	WC20420	WC13006	WC14025
coverage	170mm	148mm	194mm	128mm	140mm
internal span*	450mm	450mm	450mm	450mm	450mm
soffit span*	300mm	300mm	300mm	300mm	300mm
system	s	s	s	s	f.c



iron bark



spotted gum



teak



weathered wood




ebony



american oak

\*Please bear in mind that colours may appear slightly different on delivery due to the lighting during photo shooting or different computer monitor settings.





### **Sydney Headquarter**

126 O'Connell St, North Parramatta, NSW 2151

**P:** 1300 787 717 **F:** +61 2 9630 8088

**E:** enquiry@innowood.com

**W:** www.innowood.com



# **SYMONITE**

**ALUMINIUM COMPOSITE PANEL SPECIALISTS**

### **New Zealand Distributor:**

Symonite Panels Limited  
72 Ellice Road  
Wairau Valley  
Auckland

Ph 09 443 3896  
09 444 2142

info@symonite.co.nz

Auckland, Hamilton, Wellington, Christchurch



INNOWOOD is committed to finding new ways to do more with less