

# InnoShade

# InnoShade

SOL'ART Louvre

InnoShade SOL'ART louvre systems are architecturally designed and developed to provide solar shading and control through fixed and manually or motorised operable systems.

Creating striking architectural facades that are highly functional in providing privacy, light and solar control are now easily achievable with the InnoShade SOL'ART louvres for both commercial and residential applications.



## SOL'ART Louvre Fixed

Fixed blade systems can be set at a predetermined angle dependent on the application.

## SOL'ART Louvre Operable - Manual

Manually operable blade systems allow manual adjustment for privacy, light and solar control.

## SOL'ART Louvre Operable - Motorised

Motorised operable blade systems allow for the ultimate ease and control, either via a switch, remote or fully automated as part of a building management system.



profile



section



code

LB09119

LB15032

LB30050

LB30075

coverage

91mm

150mm

300mm

300mm

horizontal span\*

1200mm

1800mm

3000mm

3000mm

vertical span\*


1800mm

2700mm

3800mm

3800mm

\* Guide only, span based on reinforced section (with aluminium inserts) and is dependent on region and wind load.



The tonal shading, colouration and graining variations add to the architectural character and overall visual appearance of the finished installation.





## SOL'ART Opening Roof

SOL'ART's Opening Roof is perfect for all outdoor areas and spaces that require control and protection from the sun and other natural elements. Motorisation creates the ultimate ease and full control over the amount of light, shade, ventilation and airflow allowed in through the roof. And if connected to a rain sensor, the SOL'ART Opening Roof will automatically close when the first drops of rain start to fall, protecting your guests and your furniture and ensuring the outdoor festivities can continue without disruption.



iron bark




spotted gum



teak



weathered wood



ebony



american oak

\*Please bear in mind that colours may appear slightly different on delivery due to the lighting during photo shooting or different computer monitor settings.





**Sydney Headquarter**

126 O'Connell St, North Parramatta, NSW 2151

**P:** 1300 787 717 **F:** +61 2 9630 8088

**E:** enquiry@innowood.com

**W:** www.innowood.com



**New Zealand Distributor:**

Symonite Panels Limited  
72 Ellice Road  
Wairau Valley  
Auckland

Ph 09 443 3896  
09 444 2142

info@symonite.co.nz

Auckland, Hamilton, Wellington, Christchurch



INNOWOOD is committed to finding new ways to do more with less